## **Equipment (LOT 1)**

No	Names	Specification	QTY	picture
1	Dissection table for Simulation lab	304stainless steel (Inox). Dimension: 260(L)X76(W)X80(H)cm, Frames and panels are made from S.S. Material, Surface is fabricated with S.S. Sheet with broad border, Option for draining orifice with tube for passing of liquid, Option for water Tap fixed with sink, Mounted on sturdy stumps, European style.	2	
2	Mobile surgical light	Configuration: mobile with battery storage. Light source: LED Intensity at 1 m Max.: 160,000 lx Min.: 40,000 lx Colour temperature Max.: 5,000 K Min.: 3,000 K	1	
3	Dissecting kits (AA330) for Simulation lab	<ul> <li>1-#3 knife handle</li> <li>1- #4 Knife Handle</li> <li>1- Mayo Hegar Needle Holder, 6"</li> <li>1- Dressing Forceps, Serrated, 5.5"</li> <li>1- Tissue Forceps, 1×2 Teeth, 5.5"</li> <li>1- Grooved Dir., Tongue Tie, Probe Tip 5.5"</li> <li>1- Probe with Eye, 5.5"</li> <li>1- Kelly Haemostatic Forceps, Str., 5.5"</li> <li>1- Kelly Haemostatic Forceps, Cvd., 5.5"</li> <li>1- O.R. Scissors, Str., Sh/Bl, 5.5"</li> <li>1- O.R. Scissors, Cvd., Sh/Bl, 5.5"</li> <li>1- Mayo Dissecting Scissors, Str., 5.5"</li> <li>1- Mayo Dissecting</li> <li>1- Mayo Dissecting</li> </ul>	4	

		Scissors, Cvd., 5.5"		
		• 1- Halstead Mosquito		
		Forceps, Str., 5"		
4	Cadaver	The stretcher must be made	1	
	stretcher for	in stainless steel AISI		TO
	Simulation	304,250 kg) Weight Capacity		
	lab	Stainless-Steel Surface Dual Brake Mechanism		
		Stainless Steel Top designed		
		to drain fluids away from		
		body		
		8" (20 cm) Wheel Casters		
		Storage Area on lower base		
		cover		
		Height Range		
		Lowest: (80cm)		
		Caster Diameter: 8" (20 cm) European style		
5	Operating	Manual operating table	1	
	table	. Stainless steel construction		
		with top quality materials for		
		reliability and robustness.		
		• Accessory rails, both sides.		
		• Adjustable height, hydraulic mechanism.		
		• Trendelenburg and reverse		
		Trendelenburg adjustments.		
		• Lateral tilt adjustment		
		(right).		
		• Flex inclination.		
		• Back section Up and Down.		
		• Leg section inclination Up Down.		
		• Leg plates horizontal		
		opening.		
		• Adjustable head section.		
		Central brake.		
6	Postmortem	Stainless Steel High-quality	4	
	needle kit for	half curved Circle Curved 3		
	Simulation lab	per each # 0		
	าลม			
7	Deep freezer	Capacity: 675L	1	
	for	• Internal dimensions:		-
	Simulation	1935x510x685mm		٥ ميرا
	lab	• External dimensions:		THE C
		2060x716x830mm		T.
		• Input Power: 277W/220- 240V/50Hz		
		270 V/JUHZ		

8	Bedside	• Temperature: -40°C / -14°C • White painted steel • Thermometer • Defrost water drain • Refrigerant gas: R600a or R134a, R410a • 4 wheels • Handle with lock • Weight 119kg Size: 480*480*760mm	6	
	cabinet	Frame: ABS Injection. Cabinet top, drawer, tray, layer board, door and the base are made of ABS		
9	Mayo trolley	<ul> <li>Height Adjustable</li> <li>Square tube frame</li> <li>Large Work Surfaces</li> <li>4 locking castors</li> <li>304 Grade stainless steel construction</li> </ul>	2	
10	Medical Stool	Doctor Stool with Airlift & Back Rest, 5-Legs, 14" dia. x 3-1/2" thick x 17-22" height, Black	20	
11	Dust bin	Capacity:10 L 3 different colours Red Black Yellow	20	